

**CORRIGENDUM NO. 3****DATE: 26/12/2022**Tender No.: **030/SAL/MMD-MAINT/2022-23, DATED 22/11/2022**Tender Name: **"SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS"**With reference to the above tender, the following **Corrigendum 3** may kindly be noted at the respective places mentioned.

<b>Sl. No.</b>	<b>Description</b>	<b>Details as per Corrigendum/ Amendment No. 2 dated 21/12/2022</b>	<b>Details as per Corrigendum No. 3 dated 26/12/2022</b>	<b>Reference Page number of Tender</b>
<b>1.</b>	Date of Sale of tender documents	From <b>22/11/2022 to 05/01/2023</b> during office hours.	From <b>22/11/2022 to 09/01/2023</b> during office hours.	<b>3</b>
<b>2.</b>	Closing date and time for receipt of tenders	<b>06/01/2023 at 11.30 hours.</b>	<b>10/01/2023 at 11.30 hours.</b>	<b>1, 3</b>
<b>3.</b>	Time and date of opening of tenders	<b>06/01/2023 at 11.45 hours.</b>	<b>10/01/2023 at 11.45 hours.</b>	<b>1, 3, 6, 75</b>
<b>4.</b>	<b>Section VII: Technical Specifications</b> <b>Sl.No.2</b>	12 Nos of LED flood light <b>200Watt, 230 Volt</b> A.C. The luminaries' standard with IP -65 protections. (Make: PHILIPS/ GE/ CROMPTON/ BAJAJ or "equivalent") <b>Light Warranty: minimum 2 years</b> from date of supply.	12 Nos of LED flood light <b>200Watt, 230 Volt</b> A.C. The luminaries' standard with <b>IP -65 or higher protection, CRI&gt;70.</b> (Make: PHILIPS/ GE/ CROMPTON/ BAJAJ or "equivalent") Light Warranty: minimum 2 years from date of supply.	<b>38</b>
<b>5</b>	<b>Section VII: Technical Specifications</b> <b>Scope of work: Specifications for High Mast lighting towers</b>	---	<b>Sl.No.1,3</b>	<b>38,39</b>
<b>6.</b>	<b>Section VII: Declaration by Tenderer</b> <b>Compliance Statement</b>	--	<b>A. TECHNICAL: Sl. No. 1,2,3</b>	<b>40 to 43</b>

***Note: These changes are applicable at all other places of tender including Page Nos. given above.***

**All other terms and conditions remain unchanged.**

***This Corrigendum/Amendment forms part of the referred Tender. This page of Corrigendum / Amendment is to be submitted along with Techno-Commercial Bid (Part – I) duly signed and sealed by authorized signatory.***

***Bidders who have already submitted their sealed offer have to submit this Corrigendum/Amendment duly signed and sealed in a separate envelope superscribing as "CORRIGENDUM NO. 3 TO OPEN TENDER ENQUIRY NO. 030/SAL/MMD-MAINT/2022-23 DATED 22/11/2022 FOR "SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS" by authorized signatory within the closing date of submission i.e. 10/01/2023.***

**Bidders are requested to submit revised bids incorporating the above changes in their offers, if already submitted.**

Yours faithfully,  
For & On behalf of BRBNMPL

(Bibek Dutta Chowdhury)  
Assistant General Manager-MMD

**As per the Original Tender Enquiry**

(Page No. 38-43 of original tender document)

**Section VII: Technical Specifications****SCOPE OF WORK:****Supply, Installation, and Commissioning of HIGH MAST LIGHTING TOWERS****SPECIFICATION FOR HIGH MAST LIGHTING TOWERS**

<b>Sl No.</b>	<b>Description</b>	<b>Requirement</b>
<b>1</b>	<b>High Mast Pole</b>	Galvanized High Mast pole <b>20 Mtr</b> long with all accessories including foundation accessories for <b>12 nos (arranged in 360°)</b> of LED Light fittings. Suitable for wind speed upto <b>180 KM/hour</b> .
<b>2</b>	<b>Luminaires</b>	12 Nos of LED flood light <b>200Watt, 230 Volt</b> A.C. The luminaries' standard with IP -65 protections. (Make: PHILIPS/ GE/ CROMPTON/ BAJAJ) Light <b>Warranty: minimum 2 years</b> from date of supply.
<b>3</b>	<b>Dimensions</b>	Diameter of Pole: Top: 150 mm; Bottom: 450 mm; Thickness: 4.5mm Base Plate: 670 mm x 30 mm Foundation bolt:M30 X 850mm (12 Nos)
<b>4</b>	<b>Electrical panel</b>	Supply of outdoor stand mounted Feeder Pillar with <b>32 Amps</b> TPN incomer along with timer, contactor for automatic switching of luminaries, power tool control with 2 nos. of contactors and raised lower push button.
<b>5</b>	<b>Cables &amp; Wires</b>	Current carrying capacity of cable from control panel to light fittings must be 32 Amps (each phase). All Cable & wires must be ISI marked.
<b>6</b>	<b>Wire Ropes</b>	The S.S wire rope construction 7/19 with 6 mm wire dia. The breaking load of rope should be more than 2350 kgs (Grade: AISI 316)
<b>7</b>	<b>Raising Lowering system</b>	Supply of raising lowering system comprising double drum winch, SS wire rope, trailing cable, connector, Integral power tool motor, manual handle, Junction box, lightening finial.

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS****T.E No.030/SAL/MMD-MAINT/2022-23 dated 22/11/2022**

<b>8</b>	<b>Power tool</b>	A high powered electrically driven power tool for raising & lowering of lantern carriage for maintenance purpose.
<b>9</b>	<b>Foundation</b>	Providing pedestal type with M25 grade cement concrete foundation with 1:2:4 R.C.C. for mast considering the safe soil bearing capacity at site as 10 T/sq mtr at 2200 mm deep or up to yellow soil or to the depth up to the satisfaction of BRBNMPL site in charge. Raft size: 3 m x 3 m x 0.3 m, Column size: 1.1 m x 1.1 m x 1.9 m considering 0.3 meter will be above FGL with all material & labour.
<b>10</b>	<b>Foundation bolts</b>	(High Tensile steel having UTS of Gr Fe-415 Mpa min) Supply of foundation bolts manufactured from special steel along with nuts, washers, anchor plates, templates and Base plates made of hot rolled MS Plate as per IS:2062Gr.Fe-410
<b>11</b>	<b>Aviation Light</b>	Supply & fixing of single dome aviation observation light with high mast assembly.
<b>12</b>	<b>Earth Pit</b>	Providing dedicated earth pit for each High Mast (Complete earth pit including its value as per IS standard /IE Rules). High mast & Electrical control panel will be connected through 2 separate earth strips.
<b>13</b>	<b>Lightening Arrestor</b>	A suitable lightening arrestor with each pole is to be provided on the top of Head Frame cover at centre position as per required IS standard.

( )  
Signature with Seal & date.

**Note:** If any clarification is required, bidders are advised to visit us, with prior permission, to understand our requirement before submitting their quote.

**Declaration by Tenderer****(To be filled, signed & stamped and submitted along with Technical Bid Part -I)****COMPLIANCE STATEMENT****B. TECHNICAL:**

<b>Sl No.</b>	<b>Description</b>	<b>Requirement</b>	<b>Offered</b>	<b>Remarks</b>
<b>1</b>	<b>High Mast Pole</b>	Material: Galvanized Iron		
		Length : 20 mts		
		Number of LED Light fittings:12 (arranged in 360°)		
		To with stand Wind speed: 180 km/hr or more		
<b>2</b>	<b>Luminaires</b>	200 Watt,230 Volts A.C		
		IP-65 PROTECTION		
		Make:		
		Warranty : 2 Years		
<b>3.</b>	<b>Dimensions of Pole</b>	Top Ø:150 mm		
		Bottom Ø:450 mm		
		Body Thickness:min 4.5mm mm		
		Base Plate Ø :670mm		
		Base Plate Thickness: min 30 mm		
		Foundation bolt: M30X 850mm (12 Nos)		
<b>4</b>	<b>Electrical panel</b>	Supply of outdoor stand mounted Feeder Pillar with <b>32 Amps</b> TPN incomer along with timer, contactor for automatic switching of luminaries, power tool control with 2 nos. of contactors and raised lower push button.	Accepted	
<b>5</b>	<b>Cables &amp; Wires</b>	Current carrying capacity of cable from control panel to light fittings must be 32 Amps (each phase). All Cable & wires must be ISI marked.	Accepted	
<b>6</b>	<b>Wire Ropes</b>	The S.S wire rope construction 7/19 with 6 mm wire dia. The breaking load of rope should be more than 2350 kgs (Grade: AISI 316)	Accepted	

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS****T.E No.030/SAL/MMD-MAINT/2022-23 dated 22/11/2022**

<b>7</b>	<b>Raising Lowering system</b>	Supply of raising lowering system comprising double drum winch, SS wire rope, trailing cable, connector, Integral power tool motor, manual handle, Junction box, lightening finial.	Accepted	
<b>8</b>	<b>Power tool</b>	A high powered electrically driven power tool for raising & lowering of lantern carriage for maintenance purpose.	Accepted	
<b>9</b>	<b>Foundation</b>	Providing pedestal type with M25 grade cement concrete foundation with 1:2:4 R.C.C. for mast considering the safe soil bearing capacity at site as 10 T/sq mtr at 2200 mm deep or up to yellow soil or to the depth up to the satisfaction of BRBNMPL site in charge. Raft size: 3 m x 3 m x 0.3 m, Column size: 1.1 m x 1.1 m x 1.9 m considering 0.3 meter will be above FGL with all material & labour.	Accepted	
<b>10</b>	<b>Foundation bolts</b>	(High Tensile steel having UTS of Gr Fe-415 Mpa min) Supply of foundation bolts manufactured from special steel along with nuts, washers, anchor plates, templates and Base plates made of hot rolled MS Plate as per IS:2062Gr.Fe-410 Foundation bolt:M30 X 850mm (12 Nos)	Accepted	
<b>11</b>	<b>Aviation Light</b>	Supply & fixing of single dome aviation observation light with high mast assembly.	Accepted	
<b>12</b>	<b>Earth Pit</b>	Providing dedicated earth pit for each High Mast (Complete earth pit including its value as per IS standard /IE Rules). High mast & Electrical control panel will be connected through 2 separate earth strips.	Accepted	

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS****T.E No.030/SAL/MMD-MAINT/2022-23 dated 22/11/2022**

<b>13</b>	<b>Lightening Arrestor</b>	A suitable lightening arrestor with each pole is to be provided on the top of Head Frame cover at centre position as per required IS standard.	Accepted	
-----------	----------------------------	--	----------	--

Catalogue/Brochure to be submitted along with this offer

**Signature of the Authorized Signatory & Stamp :****C. COMMERCIAL**

<b>Sl. No</b>	<b>Parameters</b>	<b>Specifications</b>	<b>Offered by Bidder</b>	<b>Remarks, if any</b>
1	<b>SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS</b>	We confirm that on being successful in the tender we would <b>SUPPLY, INSTALL AND COMMISSION HIGH MAST LIGHTING TOWERS</b> as per Technical Specifications (Section-VII) and all other terms and Conditions of the Tender.	Accepted	
2	Performance Security Clause as mentioned in tender (3% of the total order value as per GoI O.M.9/4/2020 dated 12/11/2020 and its amendment dated 30/12/2021)		Accepted	
3	We understand that if we have taken support of Financial Standing from our Holding Company for participating in the Tender, then in the event of being successful in the tender our Holding Company shall submit a Bank Guarantee of amount as in Sl. No. 2 above and in format as <b>in Annexure – 6</b> in addition to Performance Security submitted by us in Sl. No. 2 above.		Accepted	
4	Delivery Terms as mentioned in tender. <b>[Ref. Section- VI]</b>		Accepted	
5	Payment terms as mentioned in tender.		Accepted	
6	Validity of offer <b>120 days</b> from date of opening of tender.		Accepted	
7	Acceptance of GST Clause of Section III of Special Instructions to Tenderers (SIT) of as referred against GIT		Accepted	
8	We confirm that we have submitted <b>Price Bid (part-II) in Separate Sealed Envelope</b> in the prescribed format of this tender with no conditions /counter conditions.		Accepted	
09	<b>Liquidated Damage Clause</b> as mentioned in tender		Accepted	
10	We have gone through entire tender document thoroughly including GIT (Section II), GCC (Section IV). We also understand that offer with counter conditions is liable for rejection.		Accepted	
11	We understand that for any false declaration and submission of any untrue documents in the tender, our offer will be liable for rejection /cancellation of order/subjected to appropriate actions as per tender Terms & Conditions.		Accepted	
12	We understand that Not Quoting for the item as per specifications as offered in Section-VII is liable for rejection.		Accepted	

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS****T.E No.030/SAL/MMD-MAINT/2022-23 dated 22/11/2022**

13	We have also noted that BRBNMPL is not bound to accept the lowest or any tender you may receive against your above-referred tender.	Accepted	
14	We will abide by all the safety and security norms of BRBNMPL.	Accepted	
15	We have not made any changes to the contents of the downloaded tender document except for filling the required information.	Certified	
16	On-site maintenance and servicing shall be provided at free of cost till the completion of warranty period.	Accepted	
17	WARRANTY: The item supplied should carry OEM's onsite comprehensive warranty for a period of Two Years (02 year) after the goods have been delivered, Installed, commissioned and accepted	Accepted	

**Signature of the Authorized Signatory & Stamp :****MANDATORY DETAILS:**

Sl. No.	Particulars	To be furnished [please attach the copies]
1.	<b>GST No.</b>	
2.	<b>PAN No.</b>	
3.	<b>MSE Registration, if any</b> Registration with DIC / KVIC / KVIB / Coir Board / NSIC / Directorate of Handicrafts and Handlooms or any other body specified by MSME for authentication such as Udyog Aadhaar Memorandum / Acknowledgement / Portal <b>Please specify:_____</b>	Reg.No. _____  Valid till: _____

**Note: Techno-commercial bid without Copies of documents in support of eligibility criteria etc. as mentioned in tender, Cost of tender form, Compliance Statement / Declaration by Tenderer & Copy of complete set of tender documents duly signed with seal affixed, is liable to be rejected**

**Signature of the Authorized Signatory & Stamp :**



**Amended and should be read as****Section VII: Technical Specifications****SCOPE OF WORK:****Supply, Installation, and Commissioning of HIGH MAST LIGHTING TOWERS****SPECIFICATION FOR HIGH MAST LIGHTING TOWERS**

<b>Sl No.</b>	<b>Description</b>	<b>Requirement</b>
<b>1</b>	<b>High Mast Pole with Test Certificate</b>	Galvanized High Mast pole <b>20 Mtr</b> long with all accessories including foundation accessories for <b>12 nos (arranged in 360°)</b> of LED Light fittings. Suitable for wind speed upto <b>180 KM/hour</b> . <b>Type test certificate up to 30 mts mast from approved Government institutions must be provided.</b>
<b>2</b>	<b>Luminaires</b>	12 Nos of LED flood light <b>200Watt, 230 Volt</b> A.C. The luminaries' standard with <b>IP -65 or higher protection, CRI&gt;70</b> . (Make: PHILIPS/ GE/ CROMPTON/ BAJAJ or "equivalent") Light Warranty: minimum 2 years from date of supply.
<b>3</b>	<b>Dimensions</b>	Diameter of Pole: Top: 150 mm; <b>Bottom: 460±10 mm; Thickness: 5mm minimum at the bottom and 4mm minimum at the top</b> Base Plate: 670 mm x 30 mm Foundation bolt:M30 X 850mm (12 Nos)
<b>4</b>	<b>Electrical panel</b>	Supply of outdoor stand mounted Feeder Pillar with <b>32 Amps</b> TPN incomer along with timer, contactor for automatic switching of luminaries, power tool control with 2 nos. of contactors and raised lower push button.
<b>5</b>	<b>Cables &amp; Wires</b>	Current carrying capacity of cable from control panel to light fittings must be 32 Amps (each phase). All Cable & wires must be ISI marked.
<b>6</b>	<b>Wire Ropes</b>	The S.S wire rope construction 7/19 with 6 mm wire dia. The breaking load of rope should be more than 2350 kgs (Grade: AISI 316)
<b>7</b>	<b>Raising Lowering system</b>	Supply of raising lowering system comprising double drum winch, SS wire rope, trailing cable, connector, Integral power tool motor, manual handle, Junction box, lightening finial.

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS****T.E No.030/SAL/MMD-MAINT/2022-23 dated 22/11/2022**

<b>8</b>	<b>Power tool</b>	A high powered electrically driven power tool for raising & lowering of lantern carriage for maintenance purpose.
<b>9</b>	<b>Foundation</b>	Providing pedestal type with M25 grade cement concrete foundation with 1:2:4 R.C.C. for mast considering the safe soil bearing capacity at site as 10 T/sq mtr at 2200 mm deep or up to yellow soil or to the depth up to the satisfaction of BRBNMPL site in charge. Raft size: 3 m x 3 m x 0.3 m, Column size: 1.1 m x 1.1 m x 1.9 m considering 0.3 meter will be above FGL with all material & labour.
<b>10</b>	<b>Foundation bolts</b>	(High Tensile steel having UTS of Gr Fe-415 Mpa min) Supply of foundation bolts manufactured from special steel along with nuts, washers, anchor plates, templates and Base plates made of hot rolled MS Plate as per IS:2062Gr.Fe-410
<b>11</b>	<b>Aviation Light</b>	Supply & fixing of single dome aviation observation light with high mast assembly.
<b>12</b>	<b>Earth Pit</b>	Providing dedicated earth pit for each High Mast (Complete earth pit including its value as per IS standard /IE Rules). High mast & Electrical control panel will be connected through 2 separate earth strips.
<b>13</b>	<b>Lightening Arrestor</b>	A suitable lightening arrestor with each pole is to be provided on the top of Head Frame cover at centre position as per required IS standard.

( )  
Signature with Seal & date.

**Note:** If any clarification is required, bidders are advised to visit us, with prior permission, to understand our requirement before submitting their quote.

**Declaration by Tenderer****(To be filled, signed & stamped and submitted along with Technical Bid Part -I)****COMPLIANCE STATEMENT****A. TECHNICAL:**

<b>Sl No.</b>	<b>Description</b>	<b>Requirement</b>	<b>Offered</b>	<b>Remarks</b>
<b>1</b>	<b>High Mast Pole</b>	Material: Galvanized Iron		
		Length : 20 mts		
		Number of LED Light fittings:12 (arranged in 360°)		
		To with stand Wind speed: 180 km/hr or more		
		<b>Type test certificate up to 30 mts mast from approved Government institutions must be provided.</b>		
<b>2</b>	<b>Luminaires</b>	200 Watt,230 Volts A.C		
		<b>IP -65 or higher protection, CRI&gt;70.</b>		
		Make:		
		Warranty : 2 Years		
<b>3.</b>	<b>Dimensions of Pole</b>	Top Ø:150 mm		
		<b>Bottom: 460±10 mm</b>		
		Body <b>Thickness: 5mm minimum at the bottom and 4mm minimum at the top</b>		
		Base Plate Ø :670mm		
		Base Plate Thickness: min 30 mm		
<b>4</b>	<b>Electrical panel</b>	Foundation bolt: M30X 850mm (12 Nos)		
		Supply of outdoor stand mounted Feeder Pillar with <b>32 Amps</b> TPN incomer along with timer, contactor for automatic switching of luminaries, power tool control with 2 nos. of contactors and raised lower push button.	Accepted	
<b>5</b>	<b>Cables &amp; Wires</b>	Current carrying capacity of cable from control panel to light fittings must be 32 Amps (each phase). All Cable & wires must be ISI marked.	Accepted	

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS****T.E No.030/SAL/MMD-MAINT/2022-23 dated 22/11/2022**

<b>6</b>	<b>Wire Ropes</b>	The S.S wire rope construction 7/19 with 6 mm wire dia. The breaking load of rope should be more than 2350 kgs (Grade: AISI 316)	Accepted	
<b>7</b>	<b>Raising Lowering system</b>	Supply of raising lowering system comprising double drum winch, SS wire rope, trailing cable, connector, Integral power tool motor, manual handle, Junction box, lightening finial.	Accepted	
<b>8</b>	<b>Power tool</b>	A high powered electrically driven power tool for raising & lowering of lantern carriage for maintenance purpose.	Accepted	
<b>9</b>	<b>Foundation</b>	Providing pedestal type with M25 grade cement concrete foundation with 1:2:4 R.C.C. for mast considering the safe soil bearing capacity at site as 10 T/sq mtr at 2200 mm deep or up to yellow soil or to the depth up to the satisfaction of BRBNMPL site in charge. Raft size: 3 m x 3 m x 0.3 m, Column size: 1.1 m x 1.1 m x 1.9 m considering 0.3 meter will be above FGL with all material & labour.	Accepted	
<b>10</b>	<b>Foundation bolts</b>	(High Tensile steel having UTS of Gr Fe-415 Mpa min).Supply of foundation bolts manufactured from special steel along with nuts, washers, anchor plates, templates and Base plates made of hot rolled MS Plate as per IS:2062Gr.Fe-410 Foundation bolt:M30 X 850mm (12 Nos)	Accepted	
<b>11</b>	<b>Aviation Light</b>	Supply & fixing of single dome aviation observation light with high mast assembly.	Accepted	

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS****T.E No.030/SAL/MMD-MAINT/2022-23 dated 22/11/2022**

<b>12</b>	<b>Earth Pit</b>	Providing dedicated earth pit for each High Mast (Complete earth pit including its value as per IS standard /IE Rules). High mast & Electrical control panel will be connected through 2 separate earth strips.	Accepted	
<b>13</b>	<b>Lightening Arrestor</b>	A suitable lightening arrestor with each pole is to be provided on the top of Head Frame cover at centre position as per required IS standard.	Accepted	

Catalogue/Brochure to be submitted along with this offer

**Signature of the Authorized Signatory & Stamp :****B. COMMERCIAL**

<b>Sl. No</b>	<b>Parameters</b>	<b>Specifications</b>	<b>Offered by Bidder</b>	<b>Remarks, if any</b>
1	<b>SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS</b>	We confirm that on being successful in the tender we would <b>SUPPLY, INSTALL AND COMMISSION HIGH MAST LIGHTING TOWERS</b> as per Technical Specifications (Section-VII) and all other terms and Conditions of the Tender.	Accepted	
2	Performance Security Clause as mentioned in tender (3% of the total order value as per GoI O.M.9/4/2020 dated 12/11/2020 and its amendment dated 30/12/2021)		Accepted	
3	We understand that if we have taken support of Financial Standing from our Holding Company for participating in the Tender, then in the event of being successful in the tender our Holding Company shall submit a Bank Guarantee of amount as in Sl. No. 2 above and in format as <b>in Annexure – 6</b> in addition to Performance Security submitted by us in Sl. No. 2 above.		Accepted	
4	Delivery Terms as mentioned in tender. <b>[Ref. Section- VI]</b>		Accepted	
5	Payment terms as mentioned in tender.		Accepted	
6	Validity of offer <b>120 days</b> from date of opening of tender.		Accepted	
7	Acceptance of GST Clause of Section III of Special Instructions to Tenderers (SIT) of as referred against GIT		Accepted	
8	We confirm that we have submitted <b>Price Bid (part-II) in Separate Sealed Envelope</b> in the prescribed format of this tender with no conditions /counter conditions.		Accepted	

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR SUPPLY, INSTALLATION AND COMMISSIONING OF HIGH MAST LIGHTING TOWERS****T.E No.030/SAL/MMD-MAINT/2022-23 dated 22/11/2022**

09	<b>Liquidated Damage Clause</b> as mentioned in tender	Accepted	
10	We have gone through entire tender document thoroughly including GIT (Section II), GCC (Section IV). We also understand that offer with counter conditions is liable for rejection.	Accepted	
11	We understand that for any false declaration and submission of any untrue documents in the tender, our offer will be liable for rejection /cancellation of order/subjected to appropriate actions as per tender Terms & Conditions.	Accepted	
12	We understand that Not Quoting for the item as per specifications as offered in Section-VII is liable for rejection.	Accepted	
13	We have also noted that BRBNMPL is not bound to accept the lowest or any tender you may receive against your above-referred tender.	Accepted	
14	We will abide by all the safety and security norms of BRBNMPL.	Accepted	
15	We have not made any changes to the contents of the downloaded tender document except for filling the required information.	Certified	
16	On-site maintenance and servicing shall be provided at free of cost till the completion of warranty period.	Accepted	
17	WARRANTY: The item supplied should carry OEM's onsite comprehensive warranty for a period of Two Years (02 year) after the goods have been delivered, Installed, commissioned and accepted	Accepted	

**Signature of the Authorized Signatory & Stamp :****MANDATORY DETAILS:**

Sl. No.	Particulars	To be furnished [please attach the copies]
1.	<b>GST No.</b>	
2.	<b>PAN No.</b>	
3.	<b>MSE Registration, if any</b> Registration with DIC / KVIC / KVIB / Coir Board / NSIC / Directorate of Handicrafts and Handlooms or any other body specified by MSME for authentication such as Udyog Aadhaar Memorandum / Acknowledgement / Portal <b>Please specify:_____</b>	Reg.No. _____  Valid till: _____

**Note: Techno-commercial bid without Copies of documents in support of eligibility criteria etc. as mentioned in tender, Cost of tender form, Compliance Statement / Declaration by Tenderer & Copy of complete set of tender documents duly signed with seal affixed, is liable to be rejected**

**Signature of the Authorized Signatory & Stamp :**