

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR "RENOVATION OF FLOORING WORKS AT OLD AND NEW CISF BARRACK AT BRBNMPL, SALBONI"***e-T.E No. 020/SAL/MMD-CIVIL/2023-24 dated 12/02/2024***CORRIGENDUM NO. 1****Date: 15/03/2024**e-Tender No.: **020/SAL/MMD-CIVIL/2023-24 dated 12/02/2024**MSTC Event No. **BRBNMPL/SALBONI PRESS/MMD/30/23-24/ET/46 [FLOORING WORKS AT CISF BARRACK]**e-Tender Name: **"RENOVATION OF FLOORING WORKS AT OLD AND NEW CISF BARRACK AT BRBNMPL, SALBONI"**

The following contents of the above tender are amended as per details given below:

<b>Sl. No.</b>	<b>Description</b>	<b>Details as per Original Tender</b>	<b>Details as per Corrigendum/ Amendment No. 1 dated 15/03/2024</b>	<b>Reference Page Number of Tender</b>
1.	<p><b>Section XI: Price Schedule</b></p> <p><b>Brief description of Works</b></p> <p>[As per detailed Scope of Work given at Section-VII]</p> <p>Sl. No. 2</p>	<p>Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) 0.08 %] in floor, skirting etc. set in 20 mm thick sand cement mortar (1:4) bed prepared after application of slurry using 1.75Kg of cement per Sqm over the base and 2mm thick cement slurry using cement @2.91Kg./sqm at the back side of the tiles and laid over the mortar bed using 0.2 kg/sqm of White cement used for joint filling with approved pigment as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, Iabour and all other incidental charges complete true to the manufacturer's specification and direction of BRBNMPL Official.</p> <p>(a) In Ground Floor: (size not Iess than 600mmX 600 mm X 9.5 mm thick)</p>	<p>Supplying and laying true to line and level Double Charge Vitrified Tiles of approved brand conforming to IS 15622: 2006 (Group B I a) and tested as per IS 13630:2006 (relevant parts) [Non-modular sizes for tiles with Water Absorption (av.) 0.08 %] in floor, skirting etc. set in 20 mm thick sand cement mortar (1:4) bed prepared after application of slurry using 1.75Kg of cement per Sqm over the base and 2mm thick cement slurry using cement @2.91Kg./sqm at the back side of the tiles and laid over the mortar bed using 0.2 kg/sqm of White cement used for joint filling with approved pigment as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, Iabour and all other incidental charges complete true to the manufacturer's specification and direction of BRBNMPL Official.</p> <p><b>(a) at all floors: (size not less than 600mm X 600mm) (Thickness to be specified by manufacturer)</b></p>	<b>72</b>

**BHARATIYA RESERVE BANK NOTE MUDRAN (P) LIMITED***(Wholly owned subsidiary of Reserve Bank of India)*

RBNM P.O. Salboni, Dist. Midnapore (W), West Bengal, Pin Code 721132

**TENDER DOCUMENT FOR "RENOVATION OF FLOORING WORKS AT OLD AND NEW CISF BARRACK AT BRBNMPL, SALBONI"***e-T.E No. 020/SAL/MMD-CIVIL/2023-24 dated 12/02/2024*

Sl. No.	Description	Details as per Original Tender	Details as per Corrigendum/ Amendment No. 1 dated 15/03/2024	Reference Page Number of Tender
2.	Date of Sale of e- tender Document	From 12/02/2024 to 15/03/2024 at the website <a href="http://www.mstcecommerce.com">www.mstcecommerce.com</a>	From 12/02/2024 to 29/03/2024 at the website <a href="http://www.mstcecommerce.com">www.mstcecommerce.com</a>	3
3.	Closing date and time for receipt of e- tenders	15/03/2024 at 11.00 AM	<b>29/03/2024 at 11.00 AM</b>	<b>1, 3</b>
4.	Time and date of opening of e-tenders	15/03/2024 at 11.30 AM	<b>29/03/2024 at 11.30 AM</b>	<b>1, 3</b>

**Note:**

- 1. The bidders to note that as there is no provision in MSTC to revise/amend the Price Bid, care must be taken by the bidder to quote the rates as per revised specification mentioned in the above Corrigendum.**
- 2. The evaluation of Bid will be carried out as per revised specification only.**
- 3. The above changes are applicable at all other places of tender including Page Nos. given above.**

**All other terms and conditions remains unchanged.*****This Corrigendum/Amendment form is a part of the referred Tender. This Corrigendum/Amendment is to be submitted along with Techno-Commercial Bid (Part – I) duly signed and sealed by authorised signatory.***

Yours faithfully,  
For & on behalf of BRBNMPL, Salboni

-sd-

(Amitav Mishra)  
Deputy General Manager