

BHARATIYA RESERVE BANK NOTE MUDRAN (Pvt.) LIMITED*(Wholly own subsidiary of Reserve Bank of India)*

Note Mudran Nagar, Mysuru- 570003

[T.E.No. 013/MYS/MMD/2026-27 Dated. 30/07/2026]

SUPPLY, INSTALLATION, COMMISSIONING, PERFORMANCE TESTING AND CAMC OF IP BASED ACCESS CONTROL SYSTEM AT
BRBNMPL, MYSURU

MSTC EVENT NO. BRBNMPL/MYSURU PRESS/MMD/16/26-27/ET/35

OPEN E-TENDER ENQUIRY**CORRIGENDUM/AMENDMENT No. III - Date: 09/10/2026****Tender No.: 013/MYS/MMD/2026-27 Dated. 30/07/2026****Tender Name:** SUPPLY, INSTALLATION, COMMISSIONING, PERFORMANCE TESTING AND CAMC OF
IP BASED ACCESS CONTROL SYSTEM AT BRBNMPL, MYSURU**MSTC Event No.:** BRBNMPL/MYSURU PRESS/MMD/16/26-27/ET/35

The following specifications, Terms & Conditions of the above tender are amended as per details given below.

CORRIGENDUM

S. No.	Original Tender Details	Revised details as per Corrigendum No. III dated 09/10/2026 - It should be read as
1.	<u>Section-IX: Qualification/ Eligibility Criteria:</u> <u>I. Experience and Past Performance:</u> (b)- The Bidder should have experience of having successfully Manufactured, supplied, installed at least One Similar System with minimum 50 nos. of Biometric (face and fingerprint) cum RFID smart card readers and 70 nos. of smart card proximity readers in a Single order in any one of the last five years ending on 31/03/2026. [Page No. 112]	<u>Section-IX: Qualification/ Eligibility Criteria:</u> <u>I. Experience and Past Performance:</u> (b)-"The Bidder should have experience of having successfully designed, supplied, installed and commissioned a minimum of 40 nos. of biometric readers supporting face, fingerprint and RFID/smart card authentication or minimum 40 nos. of Smart proximity readers as part of a single order in any one of the last five years ending on 31/03/2026" [Page No. 112]
2.	<u>Section-IX: Qualification/ Eligibility Criteria:</u> <u>II. Capability - Equipment and Manufacturing Facilities:</u> a) Bidder firm must have an annual capacity to Design, Supply, Install and Commission IP based Access Control System of minimum 25 nos. of Biometric (face and fingerprint) cum RFID smart card readers and 35 nos. of smart card proximity readers. [Page No. 112]	<u>Section-IX: Qualification/ Eligibility Criteria:</u> <u>II. Capability - Equipment and Manufacturing Facilities:</u> a) Bidder firm must have an annual capacity to Design, Supply, Install and Commission IP based Access Control System of a minimum of 40 nos. of biometric readers supporting face, fingerprint and RFID/smart card authentication or minimum 40 nos. of Smart proximity readers. [Page No. 112] <u>No Relaxation shall be given to Bidder of any stature</u>
3.	<u>Section-VII: Technical Specifications</u> <u>Part-A: Compliance Statement (Technical)</u> <u>II. ACCESS CONTROL READERS AND SMART CARDS Point-II.1: Biometric Readers Sl No.21)-Key Features-bb) Specification-</u> Device shall have min. Ingress protection IP65 & vandal protection IK06. [Page-92]	<u>Section-VII: Technical Specifications</u> <u>Part-A: Compliance Statement (Technical)</u> <u>II. ACCESS CONTROL READERS AND SMART CARDS Point-II.1: Biometric Readers Sl No.21)-Key Features-bb) Specification-</u> Device shall have min. Ingress protection IP55 & vandal protection IK06. [Page-92]
4.	<u>Section-VII: Technical Specifications-</u> <u>Part-A: Compliance Statement (Technical)</u> <u>II. ACCESS CONTROL READERS AND SMART CARDS Point-2) Smart Card Proximity Readers Sl. No. 3- Reader type-Specification-</u> Suitable for IP network and server-client based architecture of Access control system. [Page-92]	<u>Section-VII: Technical Specifications-Part-A: Compliance Statement (Technical)</u> <u>II. ACCESS CONTROL READERS AND SMART CARDS Point-2) Smart Card Proximity Readers Sl. No. 3- Reader type-Specification-</u> Suitable for IP network and server-client based architecture of Access control system. The proximity reader shall operate seamlessly in both offline & online modes, equipped to handle autonomous authentication on local event logging and direct relay actuation for doors/turnstiles. It shall support open interfaces (Wiegand/OSDP/TCP-IP) for third party controller integration. [Page-92]

5.	Section-V(SCC): Points under Service Level Agreement (SLA) Part-B: Comprehensive Annual Maintenance Contract-4) Liquidated Damages (LD): Uptime Calculation (Table) [Page-62] <table><tr><th>Sl. No.</th><th>Service Level Agreement</th><th>Target</th><th>Liquidated Damages imposed per percentage or any fraction thereof for not meeting the SLA commitment</th></tr><tr><td>1</td><td>Uptime of Severity level S1</td><td>99.00%</td><td> 99.00% or better = NIL 98.00% to 98.99= 1% of quarterly bill amount 97.00% to 97.99= 2% of quarterly bill amount - Less than 97.00%= 5% of quarterly bill amount </td></tr><tr><td>2</td><td>Uptime of Severity level S2</td><td>97.0%</td><td> 97.00% or better = NIL 95.00% to 96.99= 1% of quarterly bill amount - Less than 95.00%= 3% of quarterly bill amount </td></tr><tr><td>3</td><td>Uptime of Severity level S3</td><td>No Change</td><td>No Change</td></tr><tr><td>4</td><td>Maintaining minimum spares at site</td><td>No Change</td><td>No Change</td></tr></table>	Sl. No.	Service Level Agreement	Target	Liquidated Damages imposed per percentage or any fraction thereof for not meeting the SLA commitment	1	Uptime of Severity level S1	99.00%	99.00% or better = NIL 98.00% to 98.99= 1% of quarterly bill amount 97.00% to 97.99= 2% of quarterly bill amount - Less than 97.00%= 5% of quarterly bill amount	2	Uptime of Severity level S2	97.0%	97.00% or better = NIL 95.00% to 96.99= 1% of quarterly bill amount - Less than 95.00%= 3% of quarterly bill amount	3	Uptime of Severity level S3	No Change	No Change	4	Maintaining minimum spares at site	No Change	No Change	Section-V(SCC): Points under Service Level Agreement (SLA) Part-B: Comprehensive Annual Maintenance Contract-4) Liquidated Damages (LD): Uptime Calculation (Table) [Page-62] <table><tr><th>Sl. No.</th><th>Service Level Agreement</th><th>Target</th><th>Liquidated Damages imposed per percentage or any fraction thereof for not meeting the SLA commitment</th></tr><tr><td>1</td><td>Uptime of Severity level S1</td><td>99.00%</td><td> 99.00% or better = NIL 98.00% to 98.99= 1% of quarterly bill amount 97.00% to 97.99= 2% of quarterly bill amount Less than 97.00%= 7% of quarterly bill amount </td></tr><tr><td>2</td><td>Uptime of Severity level S2</td><td>97.0%</td><td> 97.00% or better = NIL 95.00% to 96.99= 1.5% of quarterly bill amount Less than 95.00%= 2.5% of quarterly bill amount </td></tr><tr><td>3</td><td>Uptime of Severity level S3</td><td>As per Original tender</td><td>As per Original tender</td></tr><tr><td>4</td><td>Maintaining minimum spares at site</td><td>As per Original tender</td><td>As per Original tender</td></tr></table>	Sl. No.	Service Level Agreement	Target	Liquidated Damages imposed per percentage or any fraction thereof for not meeting the SLA commitment	1	Uptime of Severity level S1	99.00%	99.00% or better = NIL 98.00% to 98.99= 1% of quarterly bill amount 97.00% to 97.99= 2% of quarterly bill amount Less than 97.00%= 7% of quarterly bill amount	2	Uptime of Severity level S2	97.0%	97.00% or better = NIL 95.00% to 96.99= 1.5% of quarterly bill amount Less than 95.00%= 2.5% of quarterly bill amount	3	Uptime of Severity level S3	As per Original tender	As per Original tender	4	Maintaining minimum spares at site	As per Original tender	As per Original tender
Sl. No.	Service Level Agreement	Target	Liquidated Damages imposed per percentage or any fraction thereof for not meeting the SLA commitment																																							
1	Uptime of Severity level S1	99.00%	99.00% or better = NIL 98.00% to 98.99= 1% of quarterly bill amount 97.00% to 97.99= 2% of quarterly bill amount - Less than 97.00%= 5% of quarterly bill amount																																							
2	Uptime of Severity level S2	97.0%	97.00% or better = NIL 95.00% to 96.99= 1% of quarterly bill amount - Less than 95.00%= 3% of quarterly bill amount																																							
3	Uptime of Severity level S3	No Change	No Change																																							
4	Maintaining minimum spares at site	No Change	No Change																																							
Sl. No.	Service Level Agreement	Target	Liquidated Damages imposed per percentage or any fraction thereof for not meeting the SLA commitment																																							
1	Uptime of Severity level S1	99.00%	99.00% or better = NIL 98.00% to 98.99= 1% of quarterly bill amount 97.00% to 97.99= 2% of quarterly bill amount Less than 97.00%= 7% of quarterly bill amount																																							
2	Uptime of Severity level S2	97.0%	97.00% or better = NIL 95.00% to 96.99= 1.5% of quarterly bill amount Less than 95.00%= 2.5% of quarterly bill amount																																							
3	Uptime of Severity level S3	As per Original tender	As per Original tender																																							
4	Maintaining minimum spares at site	As per Original tender	As per Original tender																																							
6.	Section-V(SCC): Points under Service Level Agreement (SLA) Part-B: Comprehensive Annual Maintenance Contract-4) Liquidated Damages (LD): a.10-Illustration on LD Calculation-[Page-63] <table><tr><th colspan="6">Calculation of Liquidated Damages as per SLA for the quarter</th></tr><tr><th>Availability in Hrs.</th><th>Downtime in Hrs.</th><th>Committed uptime</th><th>Actual Uptime</th><th>Liquidated Damages applicable</th><th>LD amount (Rs.)</th></tr><tr><td>2184</td><td>150</td><td>97%</td><td>93.13 %</td><td>3% of quarterly bill amount</td><td>7500</td></tr></table>	Calculation of Liquidated Damages as per SLA for the quarter						Availability in Hrs.	Downtime in Hrs.	Committed uptime	Actual Uptime	Liquidated Damages applicable	LD amount (Rs.)	2184	150	97%	93.13 %	3% of quarterly bill amount	7500	Section-V(SCC): Points under Service Level Agreement (SLA) Part-B: Comprehensive Annual Maintenance Contract-4) Liquidated Damages (LD): a.10-Illustration on LD Calculation-[Page-63] <table><tr><th colspan="6">Calculation of Liquidated Damages as per SLA for the quarter</th></tr><tr><th>Availability in Hrs.</th><th>Downtime in Hrs.</th><th>Committed uptime</th><th>Actual Uptime</th><th>Liquidated Damages applicable</th><th>LD amount (Rs.)</th></tr><tr><td>2184</td><td>150</td><td>97%</td><td>93.13 %</td><td>2.5% of quarterly bill amount</td><td>6250</td></tr></table>	Calculation of Liquidated Damages as per SLA for the quarter						Availability in Hrs.	Downtime in Hrs.	Committed uptime	Actual Uptime	Liquidated Damages applicable	LD amount (Rs.)	2184	150	97%	93.13 %	2.5% of quarterly bill amount	6250				
Calculation of Liquidated Damages as per SLA for the quarter																																										
Availability in Hrs.	Downtime in Hrs.	Committed uptime	Actual Uptime	Liquidated Damages applicable	LD amount (Rs.)																																					
2184	150	97%	93.13 %	3% of quarterly bill amount	7500																																					
Calculation of Liquidated Damages as per SLA for the quarter																																										
Availability in Hrs.	Downtime in Hrs.	Committed uptime	Actual Uptime	Liquidated Damages applicable	LD amount (Rs.)																																					
2184	150	97%	93.13 %	2.5% of quarterly bill amount	6250																																					

In addition to above amendments following additional points are included in the original Tender as addendum

Addendum

- 1. Section V: (SCC)-Points under Service Level Agreement (SLA)-Part-B: Comprehensive Annual Maintenance Contract:2) Scope of Work: At [Page-60]**
Additional point as "SI No-t: The Contractor shall close the vulnerabilities highlighted by Intelligence Bureau or any other Government agency, at no additional cost to BRBNMPL."
- 2. Section VII: Technical Specifications-2) Overview of the System: At [Page-74]**
Additional point as "SI No- x: The complete Access Control System, including reader/device firmware, middleware, Access Control Software/application, must be VAPT tested and compliant by a CERT-In empaneled agency. The bidder/OEM shall submit the VAPT reports/certifications along with the technical bid."
- 3. Section VII: Technical Specifications-Part-A: Compliance Statement (Technical) I. ACCESS CONTROL SOFTWARE- at [Page-86]**
Additional point to comply as SI No-44: The complete Access Control System, including reader/device firmware, middleware, Access Control Software/application, must be VAPT tested and compliant by a CERT-In empaneled agency. The bidder/OEM shall submit the VAPT reports/certifications along with the technical bid

The following amendments regarding submission of bid & Opening of Bid as below:

S. No.	Description	Original details as Per Tender	As per Corrigendum-I dated 31/08/2026	As per this Corrigendum /Amendment No. II dated 21/09/2026	Revised details as per this Corrigendum /Amendment No. III dated 09/10/2026	Page
1.	Date and Time of Submission of Bid	From 30/07/2026 to 11.00 Hrs on 01/09/2026 (Online)	From 30/07/2026 to 11.00 Hrs on 18/09/2026 (Online)	From 30/07/2026 to 11.00 Hrs on 13/10/2026 (Online)	From 30/07/2026 to 11.00 Hrs on 27/10/2026 (Online)	1,3
2.	Date and Time of opening of Techno-Commercial Bid	01/09/2026 at 11.01 hours. (Online)	21/09/2026 at 11.01 hours. (Online)	13/10/2026 at 11.01 hours. (Online)	27/10/2026 at 11.01 hours. (Online)	1,3

All other terms and conditions remain unchanged.

Note: These changes are applicable at all other places of this tender including Page Nos mentioned above.

This Corrigendum/Amendment forms part of the referred Tender. These pages of Corrigendum/Amendment are to be uploaded along with Techno-Commercial Bid (Part – I) duly signed and sealed by authorised signatory.

Bidders who have already submitted their online bid have to upload the page of this Corrigendum/Amendment duly signed and sealed by authorised signatory within the closing date of submission.

For & on behalf of BRBNMPL,

Sd/-
General Manager - MMD
BRBNMPL, Mysuru

Signature Not Verified

Digitally signed by Aniket Biswas
Date: 2026.10.09 10:40:01 IST
Reason: Secure Document
Location: India